FILE NOTATIONS Checked by Chief S.W.A. Approval Letter 1-35-7 Intered in HID File dard Indoned blassproval Letter - COMPLETION DATA: Location Inspected W. TA... Bond released State or Fee Land JW. . . . OS . . . PA LOGS FILED Driller's Log..... Wishingto Loggi (New) S. GR-N. Micro..... Grat W. Lot. GR-N. Micro.... Fix Coursell Later Later ... Ill-Losses Scale. CELog..... CCLog..... Others......

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES	(Other instructions on reverse side)
PARTMENT OF THE INTERIOR	


	DEPARIMEN	OF THE IN	NIEK	IOR		5. LEASE DESIGNATION AND SERIAL NO.
	GEOLO	GICAL SURVE	Y			U-7303
	Y FOR PERMIT	ro drill, d	EEPE	N, OR PLUG E	3ACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1a. TYPE OF WORK	ILL 🗆	DEEPEN [٦.	PLUG BA	ск 🗆	7. UNIT AGREEMENT NAME
b. TYPE OF WELL						Gebauer # 1
OIL WELL W	ELL OTHER		SIN ZOI	IGLE MULTIF	'LE	8. FARM OR LEASE NAME
2. NAME OF OPERATOR						<u>n</u> 1
	il & Gas Corp	oration				9. WELL NO.
3. ADDRESS OF OPERATOR	***			32161		Mexican Hat Field 10. FIELD AND POOL, OR WILDCAT
4 ICCURRON OF WELL (P.	eport location clearly and	ton, New	r.ex.	co o/401		Sec. 7 T42 S. R. 198
At surface	1839 KIL PA	25/	Early St	LOT 40		11. SEC., T., R., M., OR BLK.
At proposed prod. zon			سديث	NWENE	·*	AND SURVEY OR AREA
14 DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POST	OFFICE	Nouch		12. COUNTY OR PARISH 13. STATE
II. DISTRICT IN MILES A	DIEBETION FROM NEA	BEST TOWN OR FOST	· OFFICE			San Juan Utah
15. DISTANCE FROM PROPO LOCATION TO NEAREST	r			OF ACRES IN LEASE	17. NO.	OF ACRES ASSIGNED THIS WELL
PROPERTY OR LEASE I (Also to nearest drig	LINE, FT. g. unit line, if any)		_ 80	+ T	5	
18. DISTANCE FROM PROP TO NEAREST WELL, D				med med TOU	i i	ARY OR CABLE TOOLS
OR APPLIED FOR, ON TH	IS LEASE, FT.		or l	100 ft	not	
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)	,				22. APPROX. DATE WORK WILL START*
23.	I	PROPOSED CASIN	G AND	CEMENTING PROGR.	AM	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	от	SETTING DEPTH		QUANTITY OF CEMENT
9"	7"	17	<u>B</u>	0'.	5 8X	
					-	
			•		•	
			ie t	o 31' and s	et क	casing in cement
	burface pipe			_		
o"	hole to produ	action or	1100	" if produc	tion	incountered toset
	inch casing a					
7						
\mathcal{A}	0000					
9/	led BOP					
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if an	drill or deepen directions	proposal is to deepeally, give pertinent	en or pl data or	ug back, give data on p n subsurface locations a	resent pro nd measur	eductive zone and proposed new productive and true vertical depths. Give blowout
24.	v -					
			Vic	e-President		1-21-74
SIGNED		TITI	LE			DATE
(This space for Fede	eral or State office use)	· ·				
DEDMITT NO 43.	0311-30141	(APPROVAL DATE		
1 10 11 110	/ - / - 0			AL, MV (AU DAIR		
APPROVED BY		TITI	LE			DATE
CONDITIONS OF APPROV	AL, IF ANY:					16 × 51 11974

*See Instructions On Reverse Side

St- Wah

JAN 21 1974

U. S. GEULUGICAL SURVEY
DURANGO, COLO.



SERVICE S CERTIFICATE

The provided the second postestated Frofessional Land Surviveyor of the second for a second posterous State of Mah, do solemnly swear from the second fortest of an entire second trianglet was surveyed by me and family to provide the section my knowledge and the second for

Morald Blake No. 2759

January 25, 1974

Shiprock Oil & Gas Corporation Box 211 Farmington, New Mexico 37401

> Re: Well No. Gebauer Fed. #1 Sec. 7, T. 42 S, R. 19 E, San Juan County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with the General Rules and Regulations and Rules of Practice and Procedure. Said approval is, however, conditional upon the following:

(a) Written notification as to the type of blowout prevention equipment to be installed, as well as the subsequent testing procedures to be followed;

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer

HOME: 277-2890 OFFICE: 328-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation relative to the above will be greatly appreciated.

The API number assigned to this well is 43-037-30148.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT DIRECTOR

CBF:sd

cc: U.S. Geological Survey

UNITED STATES DEPARTMENT OF THE IN

SUBMIT IN DUPLICA.

Form approved. Budget Bureau No. 4

RTMENT OF THE INTERI	OR (See oth struction reverse :
CEOLOCICAL CUDVEY	Teverse i

5. LEASE DESIGNATION AND SERIAL N

~		GEO	LOGIC	AL 3	UKVEI					レン・ハ	5 O_S	>
	MPLETION		RECO	MPLE	TION	REPORT	A١	ID LO	G*	6. IF INDIAN,	ALLOTT	TEE OR TRIBE NAME
1a. TYPE OF WEL	L: OH	LL X	GAS WELL		DRY	Other				7. UNIT AGRE	EMENT	NAME
b. TYPE OF COM		EP-	PLUG BACK		IFF.	Other				S. FARM OR	EASE N	AME
2. NAME OF OPERAT			. Ditoit L			Other				∫ GEBAl	JER	
SHIPR	OCK CORPO	RATI	ON							9. WELL NO.		
3. ADDRESS OF OPER										[No. 1	1
	Box 211 F					-14				10. FIELD AN		
4. LOCATION OF WEI	18 66 'FNL			accordan	ice with an	y State requi	remen	rta)*	VE	1 5 5 78 1		Mexican Hat
At top prod. into	erval reported b	elow	san	ne			* 1 * *	,		SENE S	∍r. 7.	2
44 4 4 3 3 43			Sa	ame		*	JUL	9 1	974	T425	R 19	•
At total depth						11 0	A. 2			10 0043777		13. STATE
					PERMIT NO.		O VALID	issued	OUR VEY	12. COUNTY OF PARISH	∃n	Utah
5. date spudded 3-30-74	4-8-74		D 17. DAT		. (Ready to 2-74	o prod.) 18	. ELE	VATIONS (1 4202		RT, GR, ETC.)*	19. EL	EV. CASINGHEAD
20. TOTAL DEPTH, MD	& TVD 21. PL	JG, BACH	K T.D., MD &	TVD	22. IF MUL HOW M	TIPLE COMPL.	,	23. INT	ERVALS LLED BY	ROTARY TOOL	s	CABLE TOOLS
1105'			30 '		one	zone			→	Surface		TD
4. PRODUCING INTER							•					WAS DIRECTIONAL SURVEY MADE
232!	to 242' G	oodr	ridge S	ands	tone (yes
6. TYPE ELECTRIC A											27. WAS	S WELL CORED
Induc	tion elec	tric	cal & F	orma	tion D	ensity						No.
8.		c				ort all string	s set					
CASING SIZE	WEIGHT, LB.		DEPTH SI			LE SIZE	E		IENTING		<u></u>	AMOUNT PULLED
Keame	<u>d</u> hole fr	'_m _4	3/4"	to b	1/8"	טכל מז	LEF	20: 5e	г Бта	g at 350		
41/2"	91⁄4#		300	Mfee	t 6	1/8"		50 sai	cks c	irculate	<u>- </u>	None
		-						T -:-				
9.		т :	R RECORD					30.		TUBING RECO		
SIZE	TOP (MD)	вотте	OM (MD)	SACKS	CEMENT*	SCREEN (M	D)	23 <i>7</i> 8		рертн зет (мі 210 '		PACKER SET (MD)
				·				2300	<u></u>	2 10	-	Tione
1. PERFORATION REC	ORD (Interval, s	ize and	number)	<u> </u>		32.	A (CID SHOT	FRACT	URE, CEMENT	SOILEI	EZE ETC
						DEPTH INT				OUNT AND KIND		
232!	to 242' .		·5" 2	ber	foot			()				
						232 t	:n 2	242	200ь	bls oil	8000;	# sand
			· · · · · · · · · · · · · · · · · · ·									
3.*						OUCTION						
ATE FIRST PRODUCT: 4-22-			метнов (лага) 1 1 да 1 да 1			imping—size Oke 10				shut	-in)	(Producing or ng-producing
5-1-74	HOURS TESTED	-	HOKE SIZE		D'N. FOR T PERIOD	OIL—BBL.	p ^d	GAS—M		WATER-BBL.	G.	AS-OIL RATIO
LOW. TUBING PRESS.	CASING PRESSU		ALCULATED 4-HOUR RAT		ввь. }	GAS	мсғ. stm	· · · · · · · · · · · · · · · · · · ·	WATER-	BBL.	oil gra	VITY-API (CORR.)
4. DISPOSITION OF G.	AS (Sold, used fo	r fuel, v	vented, etc.))				!		TEST WITNES:		
Tstm	vented									Luther	Kise	nnoover
5. LIST OF ATTACH								* .		<u> </u>		<u> </u>
	opies of	_	•		-							
6. I hereby certify	that the foregoi	ng and	attached i	nformati	ion is comp	lete and corr	ect a	s detarmin	ed from	all available re		
SIGNED	Sto	1/2		,	, V	Pres	2	رفلف		D # MIN	J	uly 9,1974

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

14 there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State

or Federal office for specific instructions.

Hens 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval zone (multiple completion), so state in item 22, and in item 24 show the interval interval.

If any interval is separate interval to be separately produced, showing the additional data pertinent to such interval.


If any interval is separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES SHOW ALL IMPORTANT ZONES OBEPTH WITERVAL TESTED, CUST	OUS ZONES: RIANT ZONES OF PO- TESTED, CUSHION	ROSITY AND CONTENTUSED, TIME TOOL OF	MARY OF POROUS ZONES: SHOW ALL IMPORDANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEFTH THTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES	38. GEOLOG	GEOLOGIC MARKERS	
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		TOP	
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Halgaito	Surface	1031	Red Siltstone			
Rico Requal Goodridge	1031	2241	Slst. and minor limestone beds Sandstone, upper shale lower			
Shafer Ls.	2881	3747	Limestone and shales.	Rico	103'	1031
Mendenhall	3741		Limestone and minor shale beds))) A A C	1007	0.7
Hep.McLittle Loop		6431	Limestones , occasional shale beds	ם מח	D t	0 0 1
1819 Goosenecks	1649	9651	Limestone	Ismay	6431	6431
DC Horn 1s.	965'	TD 1105	Limestone and occas. Dolomite beds	Desert Greek	k 965'	1596
	- · · · · · · · · · · · · · · · · · · ·					
NC	Note: All fo	All formations b	below the Goodridge were tight.		e Teach Said	

100

May 1963)

UNIOD STATES - SUBMIT IN TRIPLING (Other instructions re-



5. LEASE DESIGNATION AND SERIAL NO. File in duplicate for Patented and Federal lands. File in triplicate for State lands. 6. IF INDIAN, ALLOTTEE OR TRIB SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WELL X OTHER 2. NAME OF OPERATOR 8. FARM OR LEASE NAME Gebauer Shiprock Corporation 3. ADDRESS OF OPERATOR 9. WELL NO. P.O. Box 211, Farmington, New Mexico 87401

LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)

At surface 10. FIELD AND POOL, OR WILDCAT San Juan 1815 FNL; 825 FEL 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA At proposed prod. zone SENE Sec. 7 12. COUNTY 13. STATE 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) San Juan 4202' Grd Utah 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL MULTIPLE COMPLETE ALTERING CASING FRACTURE TREATMENT FRACTURE TREAT ABANDONMENT SHOOTING OR ACIDIZING SHOOT OR ACIDIZE REPAIR WELL CHANGE PLANS (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-Date of work __ Well depth 1105', 4%" hole. Hole was reamed to 6 1/8" to 350'. Plug was placed at 350'. 4½", 9.5# J.-55 casing was run to 300' and cemented to surface with 50 sacks regular cement. Well was perforated 232' to 242' with 2 holes per foot. Perforations were stimulated with 250 gals MCA and 200 barrels of crude oil and 8000 lbs of 20-40 mesh sand. Injection pressure was 4200 psig. $_{**}$ Injection rate was 12 barrels per minute. JUL 9 1974 U. S. GEOLOGICAL SURVEY DURANGO, COLO. 18. I hereby certify that the foregoing is true and correct TITLE (This space for Federal or State office use)

TITLE

DATE

State of Utah Department of Natural Resources Utah Oil and Gas Conservation Commission 1588 West North Temple Salt Lake City, UT 84116

FROM AMS RANCHES, INC. RT. 1 BOX 52 BLYTHE, CA 92225 (714) 922-4422

DATE: Oct. 31, 1977

SUBJECT: Designation of Agent FOLD A

Enclosed is a Designation of Agest in duplicate.

SIGNED (

Also enclosed is a list of the land on which the oil wells are located. We have taken over operation of these wells from Shiprock Oil and Gas Corp.

Effective 10/2,/77.

REPLY

PLEASE REPLY TO

SIGNED DATE:

GRAYARC CO., INC., BROOKLYN, N. Y. 11232

ON SION MANN



United States Department of the Interior

GEOLOGICAL SURVEY Federal Building 701 Camino del Rio Durango, Colorado 81301

February 15, 1980

Memorandum

To:

Bureau of Land Management

Salt Lake City, Utah

From:

Acting District Engineer

U.S. Geological Survey

Durango, Colorado

Subject: Oil and gas operations

Federal oil and gas lease U-7303

San Juan County, Utah

DIVISION OF OIL, GAS & MINING

Following is a list of present oil wells on the subject lease:

Well No.	Location		Well Status (1)
1 Gebauer	1835'FNL & 825'FEL	7-42S-19E	POW
2 Gebauer	2155'FNL & 876'FEL	7-42S-19E	POW
3 Gebauer	2157'FNL & 1176'FEL	7-42S-19E	TA
4 Gebauer	1822'FNL & 1156'FEL	7-42S-19E	POW

(1) Note: Abbreviations POW: Producing oil well Temporary abandoned TA:

Applications for Permit to Drill have been recently approved for the following wells:

Well No. Location

6	Government	Federal	2256'FSL &	200'FEL	7-42S-19E
7	${\tt Government}$	Federal	1972'FSL &	200'FEL	7-42S-19E
8	Government	Federal	1462'FSL &	200'FEL	7-42S-19E

These wells have not yet been drilled and the operator is being advised that approval of the applications is being rescinded pending BLM cancellation action.

Applications for Permit to Drill have been recently received for the following wells and will be held unapproved pending BLM cancellation action:



Well No.

Locat ion

9 Government Federal 10 Government Federal

828'FSL & 623'FEL 805'FSL & 963'FEL

7-42S-19E 7-42S-19E

Supreme Western Petroleum Company is the operator of all wells on the lease.

James F. Sims

cc: Utah Division of Oil, Gas, and Mining 1588 West North Temple Salt Lake City, UT 84116 February 22, 1980

Supreme Western Petroleum Company 9730 North Huron Denver, Colorado 80229

#/

Re: Gebauer Wells #1-#4
Sec. 7, T. 42S, R. 19E.,
San Juan County, Utah

Gentlemen:

We recently reciived correspondence from the U.S. Geological Survey in Durango converning the above mentioned wells.

The letter stated that Supreme Western is the operator of these wells. We have no change of operator on these from Supreme Western; in fact, we have tehm listed under Williams Ranches, who took them over from Shiprock Petroleum in October 1977.

Could you please send us official notice that Supreme Western does in fact operate these four wells, and please tell us the current status of each.

Your expeditious reply to this request will be appreciated.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Cleon B. Feight Director

/btm


cc: USGS -Durango





Supreme Western Petroleum Company

July 16, 1981



DIVISION OF OIL, CAS & MINING

State of Utah Department of Natural Resources Division of Oil, Gas, and Mining 1588 West North Temple Salt Lake City, Utah 84116

Attention: M.T.M

As of your date of inspection February 6, 1980, on Lease U-7303, Section 7; SENE, Township 42 S, Range 19 E, San Juan County, Utan, these Wells were fully equipped and in operation and also the tank was full of oil.

The equippement was removed or stolen in October of 1980 and oil removed or stolen in December of 1980, therefore

your inspection is not right.

We contacted each department and notified them of stolen equipment and oil but no one seemed to give a dam, also the FBI was notified and their remark was, that they did not have jurisdiction over that area.

On our second call our attorney notified the FBI in Salt Lake and they made the remark that 300 barrels wasn't enough oil to be concerned about.

We have been sued and notified by those who are attempting to steal the field that a "Restraining Order", was filed against us from entering on the lease, and this "Restaining Order", is still in effect.

Your remark is most absurbed, evidently you did not check any records in Salt Lake or you would have seen this in the Salt Lake offices.


I am sending your comments to the U S District Judge who is handling this case in Salt Lake.

Evidently you are ashamed of your name or you would have signed your name instead of initailing.

When and if this case is settled, which it will be

the proper procedure will be taken to rectify the field.

These are facts and if you doubt this, kindly call our attorney, Frank Allen, in Salt Lake and his phone number is 322-2516.



CITRUS . ALFALFA . RUNNING HORSES . CATTLE

May 29, 1984

RECEIVED

State of Utah Cil, Gas and Mining 4241 State Office Bldg. Salt Lake City.UT S4114

MAY 3 1 1984

DIVISION OF OIL GAS & MINING

Re: BIN Lease U-7303 D

We are in the process of seeking division orders for two wells on the DLM Lease U 7303 D.

Well No. 1 - 1847' from N line and 838' from E line Section 7 Well No. 2 - 2153' from N line and 881' from E line Section 7 T A2S R 19 D., SHI UT

These wells are not new wells. To have acquired these wells from Shiprock Oil and Gas Copposition. I do not have an ATI number for these wells, nor can I obtain it from Shiprock.

These wells empty into one tank.

After the division orders have been completed we will begin delivery of production. Thease send me any forms necessary and instructions.

Williams Ranches, Inc., has no other wells in Utah; nor have we filed any reports. I will await further instructions from you.

Sincerely,

tell Johnson

Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Dianne R. Nielson, Ph.D., Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

June 11, 1984

Williams Ranches Route 1, Box 52 Blythe, California 92225

Attention Jill Johnson

Gentlemen

SUBJECT: WELL TAKE OVER

In response to your letter of May 29, 1984, we have enclosed the necessary forms and information to comply with the rules, regulations and practices of our agency.

One of the first actions your company should take is to fill out a "Sundry Notice", form OGC-1b, on each well indicating that you have taken over as operator. Please indicate in section 17 whom you have taken operations over from and the date the change became effective.

Please read over the enclosed information and if you have any questions please contact Mr. Norman Stout (801) 533-5771 Extention 58, prior to filling out any of the forms. Your operator number is N3280.

Thank you for your attention to this matter.


Sincerely

Claudia Jones

Well Records Specialist

clj Enclosures

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUR GAS AND MINING



DIVIS	ION OF OIL, GAS, AND MI		5. LEASE DESIGNATION AND SERIAL NO.
SUNDRY NO	TICES AND REPORTS osals to drill or to deepen or plus cation for PERMIT—" for such 1	ON WELLS back to a different reservoir.	6. IF INDIAN, ALLOTTER OR TRIBE NAME
OIE A UAS	EATION FOR PERMIT—" for such	Propossis,)	7. UNIT AGREEMENT NAME
NAME OF PERATOR	BANCHES		8. FARM OR LEASE NAME BLM
3. ADDRESS OF OFSEATOR	BOX 52 7	3/4he Ca.	a S. WELL NO.
 LOCATION OF WELL (Report location See also space 17 below.) At surface 		State requirements.	10. PIBLD AND POOL, OR WILDCAT UNDESIGNATED 11. BBC, T., B., M., OB BLE, AND
18471 NL 4 8	738' E L		Sec 7 THQS RIGES
14. PERMIT NO.	15. BLEVATIONS (Show whether D	F, RT, GR, eta.)	SANJUAN 214ah
16. Check A	ppropriate Box To Indicate 1		Other Data
TEST WATER SEUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)	PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON® CHANGE PLANS	Completion or Reco	REPAIRING WELL ALTERING CASING ABANDONMENT® Interpolation on Well Impletion Report and Log form.) Text, including estimated date of starting any
4 Gas Corpi	BL. M. app Presently	proved as	rock Oil signment VG Division
	WITH PE		
			RECEIVED
			JUN 1 9 1984
	Λ		Division of one gas & mining
18. I hereby certify that the foregoing	to true and correct	<u></u>	1.115 101
(This space for Federal or State of	WHEN TITLE	Sle	DATE
APPROVED BY CUMBILL VS OF APPROVAL, IF	TITLE	1	DATE

Form 3160-5 (June 1990)

ED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

١.	Lease	Designation	and	00114

U /303 D	U	7303	D	_
----------	---	------	---	---

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals	6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation		
Name of Operator	8. Well Name and Neebauer Federal #1		
San Juan Minerals Exploration B. Address and Telephone No. 10070 Williams Avenue Blythe, CA 92225	43 037 30148 10. Field and Pool, or Exploratory Area		

10970 Williams Avenue Mexican Hat 619 922 2278 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish, State

1847' NL and 838' EL Section 7 T 42s R 19 E SLM

UT San Juan

(Note: Report results of multiple completion on Well

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Change of Plans Abandonment X Notice of Intent New Construction Recompletion Non-Routine Fracturing Plugging Back Subsequent Report Water Shut-Off Casing Repair Conversion to Injection Altering Casing Final Abandonment Notice make minor Dispose Water

Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well is temporarily shut-in while minor repairs are made to pump.

repairs

14. I hereby certify that the foregoing is true and correct Signed All Massell	Title	Secretary	2-1-93
(This space for Federal or State office use)	-		DECENVAIN
Approved by	Title		FED 0 F 1003
			Glassians of Fraudulent statement

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES

FORM APPROVED

(June 1990		DEPARTMENT OF THE INTERIOR					
	BUREAU OF	LAND MANAGEME	NT	5. Lease Designation and Serial No.			
Do no	SUNDRY NOTICES t use this form for proposals to dr	ill or to deepen or re	entry to a different reserv	tvoir. U7303 D 6. If Indian, Allottee or Tribe Name	-		
	Use "APPLICATION FO	R PERMIT—" for suc			_		
	SUBMIT	IN TRIPLICATE	ि जानान है	7. If Unit or CA, Agreement Designation			
1. Type of Oil			FEB 2 4 1993	8. Well Name and No.	_		
2. Name o		oration Co	DIVISION OF	Federal #1 9. API Well No.	_		
3. Address	and Telephone No.	oracion co.	OIL GAS & MINING	43 03730148	_		
	10970 Williams Avenue	Blythe, C	A 92225	10. Field and Pool, or Exploratory Area			
4. Location	n of Well (Footage, Sec., T., R., M., or Survey D	escription)		Mexican Hat	_		
	1847' NL and 838' EL	Sec 7	T 425 R19É	11. County or Parish, State San Juan 47	_		
12.	CHECK APPROPRIATE BOX	s) TO INDICATE N	ATURE OF NOTICE, RE	EPORT, OR OTHER DATA	_		
	TYPE OF SUBMISSION		TYPE OF ACT	CTION	_		
	Subsequent Report Final Abandonment Notice	Reco	ndonment completion ging Back ng Repair ring Casing r Change_Operato	(Note: Report results of multiple completion on Well			
	Proposed or Completed Operations (Clearly state a ve subsurface locations and measured and true verti			Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled	ī		

CHANGE OF OPERATOR

San Juan Minerals ExplorationCo. is taking over operations of the above captioned well. San Juan Minerals Exploration Company is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof. Bond coverage for this well will be provided by BLM bond No. 490#867A; 863E7020; 802F0795

14. I hereby certify that the foregoing is true and correct		<i>l'</i>	
Signed Fill Christen		Sicrilary	Date
(This space for Federal for State office use) Approved by Conditions of approval if any:	/ Title	Assistant District Maylager for Minerals	Date 2/22/93
eci 2/19/25			otranija inglija jinė v o

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

Final Abandonment Notice

DEPARTMENT OF THE INTERIOR

FORM APPROVED	
Budget Bureau No. 1004-0135	
Expires March 11 1993	

BUREAU OF L SUNDRY NOTICES Do not use this form for proposals to dri Use "APPLICATION FOR		
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
Type of Well Oil Well Other Name of Operator San Juan Minerals Examples and Telephone No. 10970 Williams Ave Location of Well (Footage, Sec., T., R., M., or Survey Description of Central location of	Blythe, CA 92225	8. Well Name and No. 6 Eba uer Federal = 9. API Well No. 43_037_30/48 10. Field and Pool, or Exploratory Area Mexican Hat 11. County or Parish. State San Juan CA PORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTI	
Notice of Intent	Abandonment Recompletion Plugging Back	Change of Plans New Construction Non-Routine Fracturing
Subsequent Report	1	

13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Casing Repair

Altering Casing

Request permission to shut-in all wells located on Lease U 7303 D. Request permission to perform any work necessary to shut-in wells and transport any crude oil in tanks to refinery. (Transportation to refinery by Texaco)



Water Shut-Off

Dispose Water

Conversion to Injection

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form 1

DIVISION OF OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct Signed	Title	Secretary	4-9-93 Date	
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title		Date	
		•		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR




FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993 Lease Designation and Serial No. BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELL GAS & MINING Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well Oil Well Gas Well 8. Well Name and No. Blythe, CA 92225 (619) 922-2278 10. Field and Pool, or Exploratory Area 11. County or Parish, State (Del map) TAZS RIGE 1 Tuan Co., UT CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Notice of Intent Change of Plans Abandonment **New Construction** Recompletion Subsequent Report Non-Routine Fracturing Plugging Back Water Shut-Off Casing Repair Conversion to Injection Final Abandonment Notice Altering Casing Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Began pumping weel on 5/16/95. Will test well for approx. 60 days.

~ A		
4. I hereby certify that the foregoing is true and correct Signed	Title Schelan	Date 5-19-95
(This space for Federal or State Office use)		24 25 25
Approved by	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction:



	C	$/\mathcal{V}$		1 - C	. 1
OPERATOR	Jan Juc	an /	Inera	15 (YDI.
ADDRESS .	10970	Willi	AMS /	\ve	
	1314-	the (^a		

OPERATOR ACCT. NO. NO. NO. 810

ACTION	CURRENT	NEW	API NUMBER	WELL NAME					OCATIO	1	SPUD	EFFECTIVE
CODE	ENTITY HO.	ENTITY NO.				00	SC	TP	RG	COUNTY	DATE	DATE
<u> </u>	109080	Tonso	43 037 317	59 Gebaue	r 18	NENE	7	42S	ME	SANJuan	12/92	12/92
WELL 1 C	OHMENTS:							·····	. ,	i //	- 122 2 1/1	
0	, 	. 1B	DOUTTO C	ebauer #/-	Geb #1	plu	9901	5 111	4/93	U-73030 43	3-031/-3019	8 . 20W
Je-1) U U E.V		TIEXITO GE	en a cier / -	Geb #18	Hice	99E	9/9	5	U7303-D	"drl"	
WELL 2 C	OMMENTS:	Entil	y adoled 11-9-	-95 D	* Not PAID on	Blm In	rock 1	1-9-95	· NG11	inted day to	50116	• -
		, . ,	1. 4000000000000000000000000000000000000	fec	, 100, 17, 75,	02,		. , , _) · Ja	ested doc. from	n operator	Li.
											,	
					······································						,	
AFFF 3 C	OMMENTS:			•	•							
												•
	<i>T</i>	· — — — — — — — — — — — — — — — — — — —	,		·			·	·			
WELL 4 C	OMMENTS:	1	<u> </u>			<u> </u>		<u> </u>				
week 4 C	OTHERTS.											
	T	T	I			,						
-												
WELL 5 C	OMMENTS:		i ·			<u>!</u>		1			<u> </u>	
												•
Α	- Establish	n new entity	on back of form) for new well (si	ngle well only)	NECE	, IT W	7 बी	7		View	O Ka	car)
В	- Add new v	well to exis	ting entity (group	p or unit well) ty to another existing en	11.1		4			Signature	7	
0	- Re-assign	well from	one existing enti	ty to a new entity	1 1007 0	3 1995	1	וע		Title V	Lary	10-31.
NOTE: (Ise COMMENT	section to	explain why each	Action Code was selected						Phone No. 6	19, 925	2278
			,	O.	IV. OF OIL G	400.	ria	.		mone no.	11/00	<u> </u>

menu: opt 00 DATA 05/03/96 DETAIL WELL range qr-qr 4303730148 prod zone: GDRSD sec twnshp api num: 42.0 S 19.0 E SENE 7 entity: 9080 :

well name: GEBAUER FEDERAL 1

operator: NO810 : SAN JUAN MINERALS EXPLOR meridian: S

field: 410 : MEXICAN HAT

confidential flag: confidential expires: alt addr flag:

* * * application to drill, deepen, or plug back * * *

lease number: U-7303 lease type: 1 well type: OW

surface loc: 1800 FNL 0825 FEL unit name:

prod zone loc: 1800 FNL 0825 FEL depth: 1100 proposed zone:

elevation: 4202' GR apd date: 740125 auth code:

* * completion information * * date recd: 740709 la/pa date: 19931102 spud date: 740330 compl date: 740422 total depth: 1105'

producing intervals: 232-242'

bottom hole: 1800 FNL 0825 FEL first prod: 740422 well status: PA

24hr oil: 8 24hr gas: 24hr water: gas/oil ratio:

* * well comments: directionl: api gravity: 38.00 840613 OPER FR SHIPROCK O&G:870528 OPER FR N3280 EFF 1980:930209 SI:951116

1994 CUM BASE ADJ:960503 PA PER SNDRY REC'D 4/17/96:

opt: 21 api: 4303730148 zone: GRRV date(yymm): 9600 enty acct:

TES UNITE n 3160-5 c 1990) DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELL'S o not use this form for proposals to drill or to deepen or reentry to a d ifferent reservoir. Use "APPLICATION FOR PERMIT-" for such proposal DIV OF OIL, GAS & MINING. Agreement Designation SUBMIT IN TRIPLICATE Type of Well 9222278 CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Notice of Intent Abandonment Change of Plans Recompletion **New Construction** Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Altering Casing Conversion to Injection Final Abandonment Notice Completion or Recompletion Report and Log form.) Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* PluggED 11/x193 290' botton to surface 24 SACKS CEHENT WITNESSED BY ORI - Can not for WELLOW (This space for Fe Title Assistant District Manager

18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements presentations as to any matter within its jurisdiction.

Resource Management

Approved by Conditions of approval, if any:

Form 3160-5 (June 1990)

STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

<u> </u>	ECEN	VE	Ī	1	1	FORM APPROVED Idget Bureau No. 1004-0135 Expires: March 31, 1993
(1	1	4	-	Designation and Serial No.

SUNDRY NOTICES AND REPORTS ON WE

Use "APPLICATION FO	R PERMIT—" for such pro	mosais	
SUBMIT	IN TRIPLICATE	DIV. OF OIL, GAS &	NINING or CA, Agreement Designation
1. Type of Well Soil Gas Other	Blythe Ca escription) 825' EL 87 T425	(019 9222278 R19E SLM	8. Well Name and No. Gebouer # 9. API Well No. 43 037 30 48 10. Field and Pool, or Exploratory Area MEX (CAN + q + 11 County or Parkh, State UTAI-1 DET OR OTHER DATA
12. CHECK APPROPRIATE BOX	(S) TO INDICATE NATU	TYPE OF ACTION	
TYPE OF SUBMISSION Notice of Intent Subsequent Report Final Abandonment Notice	Abandonmer Recompletio Plugging Ba Casing Repu Altering Cas	nt on ock sir	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and measured and true vertically state of the subsurface locations and true vertically	work Pa	r formED	
14. I hereby certify that the foregoing is true and sorrect Signed	V Title S	ecretary	Date 2/14/96
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title		Date (ASS)